

**Table 1**  
**Washington Vein**

Hole #	From	To (feet)	Thickness	T.W.F.	T.W. Ft.	OPT Au
17	217.0	224.3	7.3	0.91	6.6	0.024
17	248.0	258.0	10.0	0.91	9.1	0.024
18	341.5	346.1	4.6	0.69	3.2	0.007
19	493.0	495.6	2.6	0.54	1.4	0.003
20	215.4	223.5	8.1	0.95	7.7	0.056
21	277.5	286.5	9.0	0.88	7.9	0.034
22	403.5	407.8	4.3	0.56	2.4	0.066
23	311.5	317.0	<b>5.5</b>	<b>0.85</b>	<b>4.7</b>	<b>0.692</b>
24	319.0	355.0	36.0	0.64	23.0	0.001
25	453.8	458.4	4.6	0.46	2.1	0.010
26	293.3	298.3	5.0	0.65	3.3	0.012
27	524.1	526.0	1.9	0.50	0.9	0.029
27	468.9	482.0	13.1	0.50	6.6	0.010
28	263.0	292.8	29.8	0.72	21.5	0.045
29	246.5	254.8	8.3	0.85	7.1	0.051
48	255.5	259.0	3.5	0.92	3.2	0.001
49	380.5	387.0	6.5	0.85	5.5	0.001
50	330.2	339.0	<b>8.8</b>	<b>0.75</b>	<b>6.6</b>	<b>0.248</b>
51	408.0	411.7	3.7	0.6	2.2	0.009
52	468.0	477.2	9.2	0.45	4.1	0.001
53	385.5	389.0	3.5	0.62	2.2	0.052
54	433.5	434.7	1.2	0.58	0.7	0.033
55	480.8	482.0	1.2	0.47	0.6	0.020
56	430.0	437.0	7.0	0.51	3.6	0.018
57	478.0	483.0	5.0	0.49	2.5	0.018
58	499.0	504.0	5.0	0.45	2.3	0.034
59	627.4	629.4	2.0	0.37	0.7	0.001
60	477.0	485.0	8.0	0.44	3.5	0.018
61	575.0	584.0	9.0	0.40	3.6	0.002
63	633.8	644.0	10.2	0.37	3.8	0.047
64	601.0	612.7	<b>11.7</b>	<b>0.35</b>	<b>4.1</b>	<b>0.541</b>

**Table 2  
No. 2 Vein**

Hole #	Vein	From	To (feet)	Thickness	T.W.F.	T.W.	OPT Au
17	Main	150.0	152.5	2.5	0.91	2.3	0.009
18	Main	149.0	152.0	3.0	0.69	2.1	0.001
19	Main	207.5	209.5	2.0	0.54	1.1	0.052
21	Main	116.8	121.6	<b>4.8</b>	<b>0.88</b>	<b>4.2</b>	<b>0.524</b>
22	Main	161.9	163.7	1.8	0.56	1.0	0.001
23	Main	109.5	112.0	<b>2.5</b>	<b>0.56</b>	<b>1.4</b>	<b>0.269</b>
24	South	166.8	172.5	5.7	0.64	3.6	0.068
24	North	237.7	243.7	<b>6.0</b>	<b>0.64</b>	<b>3.8</b>	<b>0.319</b>
25	Main	195.0	200.0	5.0	0.46	2.3	0.014
26	Main	256.1	263.7	7.6	0.65	4.9	0.047
27	Main	175.7	177.0	1.3	0.50	0.7	0.015
28	Main	211.5	220.5	9.0	0.72	6.5	0.008
31	Main	478.2	486.5	8.3	0.67	5.6	0.010
47	South	128.0	133.0	<b>5.0</b>	<b>0.89</b>	<b>4.5</b>	<b>0.117</b>
47	South	133.0	140.0	7.0	0.89	6.2	STOPE
48	South	133.3	141.8	8.5	0.78	6.6	0.001
48	North	200.0	206.0	6.0	0.78	4.7	0.025
49	Main	234.7	246.0	11.3	0.56	6.3	0.035
50	South	167.8	177.8	10.0	0.75	7.5	0.007
50	North	194.0	195.0	1.0	0.75	0.8	0.044
51	South	124.5	129.0	4.5	0.6	2.7	0.040
52	South	223.0	238.0	15.0	0.45	6.8	0.033
53	South	167.8	177.8	10.0	0.62	6.2	0.002
53	North	200.0	204.5	4.5	0.62	2.8	0.027
54	South	195.2	197.2	2.0	0.58	1.2	0.018
54	North	222.0	225.0	3.0	0.58	1.7	0.003
55	South	230.2	240.8	10.6	0.47	5.0	0.024
55	North	259.0	260.8	1.8	0.47	0.8	0.115
56	South	200.4	202.0	1.6	0.51	0.8	0.148
56	North	216.0	221.3	5.3	0.51	2.7	0.034
57	South	244.5	252.0	<b>7.5</b>	<b>0.49</b>	<b>3.7</b>	<b>0.113</b>
57	North	319.0	329.5	10.5	0.49	5.1	0.001
58	South	210.5	212.5	2.0	0.45	0.9	0.074
58	North	309.8	311.3	1.5	0.45	0.7	0.032
59	South A	276.1	279.1	3.0	0.37	1.1	0.074
59	South B	305.5	307.8	2.3	0.37	0.9	0.117
59	North	354.0	355.0	1.0	0.37	0.4	0.053
60	South	230.0	232.5	2.5	0.44	1.1	0.060
61	South	284.5	291.2	6.7	0.4	2.7	0.066
62	South	225.3	227.0	1.7	0.41	0.7	0.024
62	North	240.0	246.0	6.0	0.41	2.5	0.042
63	South	282.6	288.2	5.6	0.37	2.1	0.027
63	North	348.7	357.0	8.3	0.37	3.1	0.036

64	South	359.5	362.0	2.5	0.35	0.9	0.060
----	-------	-------	-------	-----	------	-----	-------

**Table 3**  
**Dean/NE Vein Drill Intercepts**

Hole #	Vein	From	To (feet)	Thickness	T.W.F.	T.W.	OPT Au
17	NE	313.4	318.0	4.6	0.91	4.2	0.065
17	NE	317.0	318.0	1.0	0.91	0.9	0.181
18	NE	418.5	424.0	5.5	0.69	3.8	0.077
18	NE	426.0	430.5	4.5	0.69	3.1	0.178
18	DEAN	452.4	454.7	2.3	0.69	1.6	0.805
18	DEAN	452.4	457.4	<b>5.0</b>	<b>0.69</b>	<b>3.5</b>	<b>0.371</b>
20	NE	256.3	261.5	<b>5.2</b>	<b>0.95</b>	<b>4.9</b>	<b>0.385</b>
20	DEAN	339.3	347.0	7.7	0.95	7.3	0.100
21	NE	315.0	319.0	4.0	0.88	3.5	0.025
22	NE	527.5	531.1	3.6	0.56	2.0	0.154
23	NE	311.5	317.0	5.5	0.85	4.7	0.012
24	NE	402.8	406.7	3.9	0.64	2.5	0.014
26	NE	364.7	369.7	<b>5.0</b>	<b>0.65</b>	<b>3.3</b>	<b>0.461</b>
27	NE	524.1	526.0	1.9	0.5	0.9	0.011
28	NE	360.5	362.5	2.0	0.72	1.4	0.052
28	NE	371.7	372.7	1.0	0.72	0.7	0.034
28	DEAN	381.6	383.6	2.0	0.72	1.4	0.010
29	NE	318.5	319.5	1.0	0.85	0.9	0.051
48	NE	338.0	342.3	4.3	0.78	3.4	0.021
48	DEAN	392.6	394.0	1.4	0.78	1.1	0.036
49	NE	525.5	530.0	4.5	0.56	2.5	0.010
50	NE	389.0	396.0	7.0	0.75	5.3	0.044
50	NE	418.2	425.5	7.3	0.75	5.5	0.021
50	NE	444.0	449.0	5.0	0.75	3.8	0.022
50	DEAN	456.0	466.3	10.3	0.75	7.7	0.032
51	DEAN	410.7	411.7	1.0	0.6	0.6	0.011
53	DEAN	460.0	462.5	2.5	0.62	1.6	0.135
53	DEAN FW	486.6	500.0	13.4	0.62	8.3	0.040
54	DEAN	515.0	516.0	1.0	0.58	0.6	0.009
55	DEAN	576.2	582.8	<b>6.6</b>	<b>0.47</b>	<b>3.1</b>	<b>0.115</b>
55	DEAN	597.0	598.0	1.0	0.47	0.5	0.044
56	DEAN	526.0	532.8	6.8	0.51	3.5	0.047
56	DEAN	526.0	551.0	25.0	0.51	12.8	0.031
57	DEAN	552.0	555.5	3.5	0.49	1.7	0.029
60	DEAN	517.5	545.0	27.5	0.44	12.1	0.020
60	DEAN HW	570.0	587.4	17.4	0.44	7.7	0.025
60	DEAN HW	615.0	624.6	9.6	0.44	4.2	0.031
61	DEAN	620.8	626.0	5.2	0.4	2.1	0.057
64	DEAN	659.5	667.5	<b>8.0</b>	<b>0.35</b>	<b>2.8</b>	<b>0.125</b>

Table 4

Lucky Seven Vein Drill Intercepts						
Hole #	From	To (feet)	Length	T.W.F.	T.W. Ft.	OPT Au
1	379.0	389.0	10.0	0.44	<b>4.4</b>	<b>1.317</b>
2	359.5	365.0	5.5	0.43	2.4	0.288
2	372.5	386.0	13.5	0.43	5.8	0.298
2	359.5	391.0	31.5	0.43	<b>13.5</b>	<b>0.215</b>
3	493.5	506.5	13.0	0.39	<b>5.1</b>	<b>0.476</b>
4	406.8	417.4	10.6	0.40	4.2	0.272
4	420.5	428.2	7.7	0.40	3.1	0.248
4	392.5	433.0	40.5	0.40	<b>16.2</b>	<b>0.140</b>
5	Short					
6						<.009
7	452.0	458.0	6.0	0.37	2.2	0.456
7	452.0	465.6	13.6	0.37	<b>5.0</b>	<b>0.207</b>
8	511.0	516.0	5.0	0.33	1.7	0.011
9	488.7	493.0	4.3	0.10	0.4	0.086
10	337.5	345.5	8.0	0.51	4.1	0.072
11	315.0	321.8	6.8	0.48	3.3	0.104
11	315.0	331.0	16.0	0.48	7.7	0.069
12	449.6	454.5	4.9	0.42	2.1	0.039
13	371.9	388.9	17.0	0.47	<b>8.0</b>	<b>0.356</b>
14	348.0	361.0	13.0	0.45	5.9	1.887
14	348.0	373.0	25.0	0.45	<b>11.3</b>	<b>1.000</b>
15	442.5	447.5	5.0	0.43	2.2	0.474
15	442.5	462.5	20.0	0.43	<b>8.6</b>	<b>0.143</b>
16	530.0	543.2	13.2	0.38	5.0	0.055
33	291.0	305.5	14.5	0.39	5.7	0.052
34	309.3	321.3	12.0	0.34	4.1	0.009
34	346.0	369.0	23.0	0.34	7.8	0.011
35	361.7	369.0	7.3	0.28	2.0	0.002
36	313.0	352.0	39.0	0.33	12.9	0.001
37	269.8	281.0	11.2	0.40	4.5	0.032
38	251.7	263.3	11.6	0.44	<b>5.1</b>	<b>0.464</b>
39	206.5	216.0	9.5	0.52	4.9	0.059
40	300.0	318.4	18.4	0.58	10.7	0.025
41	157.0	172.0	15.0	0.64	9.6	0.001
42	175.9	185.7	9.8	0.55	5.4	0.001
43	137.7	140.0	2.3	0.71	1.6	0.004
44	246.5	253.0	6.5	0.59	3.8	0.003
45	224.5	240.0	15.5	0.62	9.6	0.004
46	160.0	168.0	8.0	0.89	7.1	0.006
46	160.0	168.0	8.0	0.89	7.1	0.006